

RAW SEQUENCE LISTING

**The Biotechnology Systems Branch of the Scientific and Technical
Information Center (STIC) no errors detected.**

Application Serial Number: 10/540,446
Source: PCT
Date Processed by STIC: 06-30-05

ENTERED



PCT

RAW SEQUENCE LISTING

DATE: 06/30/2005

PATENT APPLICATION: US/10/540,446

TIME: 08:46:53

Input Set : A:\868_007.sequence listing.6-20-05.txt

Output Set: N:\CRF4\06302005\J540446.raw

```

3 <110> APPLICANT: Nishida, Teruo
4      Uetake, Yorihiisa
5      Iwata, Hiroaki
7 <120> TITLE OF INVENTION: Ophthalmological Composition
9 <130> FILE REFERENCE: 868_007
C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/540,446
C--> 11 <141> CURRENT FILING DATE: 2005-06-22
11 <150> PRIOR APPLICATION NUMBER: JP2002-381131
12 <151> PRIOR FILING DATE: 2002-12-27
14 <150> PRIOR APPLICATION NUMBER: PCT/JP2003/016514
15 <151> PRIOR FILING DATE: 2003-12-24
17 <160> NUMBER OF SEQ ID NOS: 1
19 <170> SOFTWARE: PatentIn version 3.2
21 <210> SEQ ID NO: 1
22 <211> LENGTH: 5
23 <212> TYPE: PRT
24 <213> ORGANISM: artificial
26 <220> FEATURE:
27 <223> OTHER INFORMATION: partial sequence in Fibronectin
29 <400> SEQUENCE: 1
31 Pro His Ser Arg Asn
32 1          5

```

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 06/30/2005
PATENT APPLICATION: US/10/540,446 TIME: 08:46:54

Input Set : A:\868_007.sequence listing.6-20-05.txt
Output Set: N:\CRF4\06302005\J540446.raw

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:1

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/540,446

DATE: 06/30/2005

TIME: 08:46:54

Input Set : A:\868_007.sequence listing.6-20-05.txt

Output Set: N:\CRF4\06302005\J540446.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application No

L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date